

DISCONTINUED INCANDESCENT LIGHTS

TECH BULLETIN | 08/01/18



SINCE 1976












INCANDESCENT LIGHTS TO BE DISCONTINUED IN 2018

Light output and lifespan of newer LED technology has surpassed that of incandescents. In an effort to keep the Pelican™ lighting line fresh and innovative, we will be discontinuing our incandescent light models. The list below details those models and suggested replacements.

We hope this advance notice will allow for any necessary adjustments in your marketing materials and order placements. We will attempt to support these items up to October 1, 2018. However, some incandescent lights have limited quantities and will be treated as “while supplies last”.

**Effective October 1, 2018 these models
will be removed from our price list and website.
Please contact our customer service team for additional support.**

LIGHT SPECIFICATIONS

DISCONTINUED INCANDESCENT MODEL	INCANDESCENT SPECS	SUGGESTED LED REPLACEMENT	LED REPLACEMENT SPECS	ASSEMBLED IN USA LED ALTERNATIVE	ASSEMBLED IN USA LED REPLACEMENT SPECS
1800 	2 C batteries, CI II, D2, 7 hr, 21 lumens	3315 	3 AA batteries, CI, II, III, D1, 19 hr, 160 lumens	2410 	4 AA batteries, CI II III, D1, 5hr 45, 183 lumens
1820 	2C batteries, CI II III, D2, 6hr, 22 lumens	3315 	3 AA batteries, CI, II, III, D1, 19 hr, 160 lumens	2410 	4 AA batteries, CI II III, D1, 5hr 45, 183 lumens
1900 	2 AAA batteries, CI D1, 1 hr 30, 11 lumens	1975 	2 AAA batteries, CI II III D1, 2 hr 15, 117 Lumens	1965 	2 AAA batteries, CI II III D1, 3 hr, 34 Lumens

LIGHT SPECIFICATIONS

DISCONTINUED INCANDESCENT MODEL	INCANDESCENT SPECS	SUGGESTED LED REPLACEMENT	LED REPLACEMENT SPECS	ASSEMBLED IN USA LED ALTERNATIVE	ASSEMBLED IN USA LED REPLACEMENT SPECS
2000 	3 C batteries, CI D2, 5 hr, 53 lumens	3315 	3 AA batteries, CI, II, III, D1, 19 hr, 160 lumens	2010 	3 C batteries, CI II III, D1, 22hrs, 161 lumens
2140 	2 AAA batteries, CI D2, 2hr, 13 lumens	1975 	2 AAA batteries, CI II III D1, 2 hr 15, 117 Lumens	1965 	2 AAA batteries, CI II III D1, 2 hr 30, 87 Lumens
2250 	2 AA batteries, CI II, D2, 5 hr 30, 7 Lumens	2220 	2 CR2032 batteries, CI D1, 34 hr, 9 lumens	2220 	2 CR2032 batteries, CI D1, 34 hr, 9 lumens
2300 	2 AA batteries, CI D1, 4 hr 30, 11 Lumens	1975 	2 AAA batteries, CI II III D1, 2 hr 15, 117 Lumens	1965 	2 AAA batteries, CI II III D1, 2 hr 30, 87 Lumens
2340 	2 AA batteries, CI D1, 4 hr 30, 10 lumens	1975 	2 AAA batteries, CI II III D1, 2 hr 15, 117 Lumens	1965 	2 AAA batteries, CI II III D1, 2 hr 30, 87 Lumens
2400 	4 AA batteries, CI D1, 3 hr 45, 45 lumens	3315 	3 AA batteries, CI, II, III, D1, 19 hr, 160 lumens	2410 	4 AA batteries, CI II III, D1, 5hr 45, 183 lumens
2430 	4 AA batteries, CI D2, 2 hrs, 70 lumens	3325 	3 AA batteries, CI, D1, 16 hr, 162 lumens	2410 	4 AA batteries, CI II III, D1, 5hr 45, 183 lumens
2450 	Rechargeable Nimh batteries, CI II D2, 3 hr 30, 35 lumens	3315R 	Rechargeable Li-Ion, CI D1, 5 hr 30 min, 132 lumens	2460 	Rechargeable Nimh batteries, CI II D2, 5 hr, 183 lumens

LIGHT SPECIFICATIONS

DISCONTINUED INCANDESCENT MODEL	INCANDESCENT SPECS	SUGGESTED LED REPLACEMENT	LED REPLACEMENT SPECS	ASSEMBLED IN USA LED ALTERNATIVE	ASSEMBLED IN USA LED REPLACEMENT SPECS
2600 	4 AA batteries, CI II III D2, 3 hr 30, 18 lumens	2755 	3 AAA batteries, CI D1, 6 hr, 72 lumens	2680 	4 AA batteries, CI II III, D2, 10 hrs, 79 lumens
2620 	3 AAA batteries, CI D1, 2 hr, 26 lumens	2755 	3 AAA batteries, CI D1, 6 hr, 72 lumens	2680 	4 AA batteries, CI II III, D2, 10 hrs, 79 lumens
2640 	4 AA batteries, CI D2, 2 hrs, 45, 29 lumens	2765 	3 AAA batteries, CI D1, 4 hr, 105 lumens	2680 	4 AA batteries, CI II III, D2, 10 hrs, 79 lumens
3700 	4 C batteries, CI D2, 6 hr, 39 lumens	3715 	4 AA batteries, CI, D1, 4 hr, 223 Lumens	3715 	4 AA batteries, CI, D1, 4 hr, 223 lumens
3750 	Rechargeable NiCad batteries, CI D2, 3 hr, 96 lumens	3765 	Rechargeable NiCad, CI D1, CI, D2, 1hr 45, 237 lumens	3765 	Rechargeable NiCad battery, CI D1, CI, D2, 1hr 45 min, 237 lumens
4000 	8 D batteries, CI II D2, 11 hr, 251 lumens	9415 	Rechargeable NiMH, CI D1, 4 hr, 413 Lumens	9415 	Rechargeable NiMH, CI D1, 4 hr, 413 lumens
8050 	Rechargeable NiCad batteries, No safety certs, 1 hr, 137 lumens	8060 	Rechargeable NiMH, 2 hr 30, 803 lumens	8060 	Rechargeable NiMH, 2 hr 30 min, 803 lumens